



Seamless Online Distribution of Amundsen Multibeam Data


James Muggah,
Church, I., Beaudoin, J., Hughes Clarke, J.

University of New Brunswick

The Ocean Mapping Group's role in ArcticNet




- Shipping
- Safety of Navigation
- Ice Escort
- Geohazards
- Resource Exploration





(above) Photo by Edouard

Kongsberg EM302 Multibeam Echosounder




(above) Photo by Edouard


Knudsen 320R Sub-bottom Profiler



Ocean Mapping Group




Current Online Distribution Method



[Previous sheet](#)

Mapsheet 159


[Next sheet](#)



[Basemap](#)

[OMG ArcticNet home](#)

Strip Maps





ArcticNet Mapping Model


After Multi-year coverage, shift model focus to area coverage.

Current Online Distribution Method

ArcticNet Basemap Series: 72_45_N_79_30_W



Downloads
ESRI grid files for:
[This basemap](#)



[About these basemaps...](#)


June 2010

ArcticNet
▷Ρ▷▫C▫DΓ▫ CΡΥσ▫A▫U▫C

CHC 2010

Ocean Mapping Group
University of New Brunswick
CANADA

Source data for each mapsheet



2008 - Heron

2008 - Amundsen



2007 - Amundsen

2006 - Amundsen

2005 - Amundsen


2004 - Amundsen

2003 - Amundsen



New Online Distribution Method

- In the past few years there has been big developments in web-based Geographic Information Systems.



Why Google Maps?




- Free software.
 - Google Maps has a great API and online help.
 - Many developers use Google Maps.
 - Well known user interface.
 - Possibility to display maps in almost real-time.
 - Can be displayed on any supported web browser.



Google maps
Canada

Disadvantages


- High resolution satellite imagery and aerial photography covers mostly urban areas.
- World ocean imagery only at low zoom levels.
- Mercator projection does not show the poles.
- Complex to develop multi-resolution images and maps.
- Less tools than proprietary GIS systems.



How to handle large datasets?


- Create a pyramid structure that changes the resolution of the overlays according to the zoom level and latitude.

Zoom level



zoom level	Map Resolution (metres / pixel)				Latitude
	0	30	60	80	
1	78271.5	67785.1	39135.8	13591.7	
2	39135.8	33892.6	19567.9	6795.9	
3	19567.9	16946.3	9783.9	3397.9	
4	9783.9	8473.1	4892.0	1699.0	
5	4892.0	4236.6	2446.0	849.5	
6	2446.0	2118.3	1223.0	424.7	
7	1223.0	1059.1	611.5	212.4	
8	611.5	529.6	305.7	106.2	
9	305.7	264.8	152.9	53.1	
10	152.9	132.4	76.4	26.5	
11	76.4	66.2	38.2	13.3	
12	38.2	33.1	19.1	6.6	
13	19.1	16.5	9.6	3.3	
14	9.6	8.3	4.8	1.7	
15	4.8	4.1	2.4	0.8	
16	2.4	2.1	1.2	0.4	
17	1.2	1.0	0.6	0.2	
18	0.6	0.5	0.3	0.1	

- Tile the data in the map to speed up the application.



of Tiles = 4^n
(where n = zoom level)


Zoom level 13 = 67,108,864 images



CHC 2010



Zoom level 1



Zoom level 2

June 2010

ArcticNet
▷Ρ▷▫C▫DΓ▫ CΡΥσ▫A▫N▫C▫C


Ocean Mapping Group



12

Tile Overlay

- A custom Ocean Mapping Group software program was developed to created the tiles
- Grid highest resolution and collapse 4 sheets into a new tile at lower zoom level.





Map center: (70.728979, -86.308594) - zoom: 3
 SW: 37.300275, 166.289063
 NE: 83.359511, 21.093750

Map Properties

Mouse LatLng: 71.497037, 20.566406
 Mouse Px: 1141, 432
 Tile: 4, 1
 Resolution (m/px): 6355.97

Mouse Position

Show/Hide Subbottom Markers
 2008

Toggle Strip Maps

June 2010

ArcticNet
 ▷Ρ▷▫C▫DΓ▫ CΡΥσ▫A▫U▫C▫

CHC 2010

Ocean Mapping Group
 University of New Brunswick
 CANADA

14


Strip Maps

- Point overlays
- Created from an XML file

```
<markers>
<marker name="Mapsheet 0" address="http://www.omg.unb.ca/Projects/Arctic/stripmaps/nwp2008/img/strip_0.gif" lat="67.925121" lon="-114.973642" year="2008" icon="purple"/>
<marker name="Mapsheet 1" address="http://www.omg.unb.ca/Projects/Arctic/stripmaps/nwp2008/img/strip_1.gif" lat="68.020356" lon="-114.569748" year="2008" icon="purple"/>
<marker name="Mapsheet 10" address="http://www.omg.unb.ca/Projects/Arctic/stripmaps/nwp2008/img/strip_10.gif" lat="68.546710" lon="-109.808829" year="2008" icon="purple"/>
</markers>
```

- Website parses the XML file
- Points are added to the map
- Colour code the Strip Map by year

Strip Maps



June 2010


ArcticNet
▷Ρ▷▫C▫CΓ▫ CΡΥσ▫A▫U▫C▫

CHC 2010


Ocean Mapping Group
University of New Brunswick
CANADA

16

How Does the Website Work?



Access to webpage



June 2010

ArcticNet
▷Ρ▷▫C▫CΓ▫ CΡΥσ▫A▫U▫C▫

CHC 2010

Ocean Mapping Group
University of New Brunswick
CANADA

18

Future Work

- Create Backscatter tiles
- Develop software to update the tiles after each field season
- Maintain and update website as new versions and features become available in Google Maps

- Google Maps provides a platform to link and display all sources of data the Ocean Mapping Group collects to anyone who is interested.



June 2010

ArcticNet

CHC 2010



Ocean Mapping Group

Acknowledgements

- The Ocean Mapping Group & Their Sponsors
 - U.S. Geological Survey
 - Kongsberg Maritime
 - Route Survey, Canadian Navy
 - Rijkswaterstaat
 - Imperial Oil Limited

Geological Survey of Canada

NRCan



Canadian Hydrographic Service

DFO



Officers and Crew of the:
CCGS Amundsen
CCGS Henry Larsen
CCGS Nahidik